Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	4	10/776602	US-PGPUB; USPAT	AND	ON	2007/03/19 11:59
S2	0	EP1006716A2	US-PGPUB; USPAT	AND .	ON	2007/03/13 13:17
S3	1	EP "1006716" A2	US-PGPUB; USPAT	AND	ON	2007/03/13 13:20
S4	1	"6058214".pn.	US-PGPUB; USPAT	AND	ON	2007/03/18 13:29
S5	2	"6058214".pn. "6633670".pn.	US-PGPUB; USPAT	OR	ON	2007/03/13 13:24
S6	9	"6058214".pn. "6633670".pn. "6400844".pn. "6343154".pn. "6324305".pn. "6058214".pn. "5900953".pn. "5745596".pn. "5583659".pn. "5515452".pn.	US-PGPUB; USPAT	OR	ON	2007/03/13 13:29
S7	8	("6058214".pn. "6633670".pn. "6400844".pn. "6343154".pn. "6324305".pn. "6058214".pn. "5900953".pn. "5745596".pn. "5583659".pn. "5515452".pn.) and color	US-PGPUB; USPAT	OR	ON	2007/03/13 13:30
S8	1853	color with cluster @ad<"20040212"	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/03/14 10:44
S9	99	region\$1 color adj2 differen\$3 color adj2 cluster @ad<"20040212"	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/03/14 15:13
S10	86	image region\$1 color adj2 differen\$3 color adj2 cluster @ad<"20040212"	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/03/14 11:23
S11	13	tile\$3 region\$1 color adj2 differen\$3 color adj2 cluster @ad<"20040212"	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/03/19 16:26
S12	471	382/243.ccls. @ad<"20040212"	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/03/14 15:07
S13	277	382/243.ccls. color @ad<"20040212"	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/03/14 15:08
S14	17	382/243.ccls. color tile\$3 region\$1 @ad<"20040212"	US-PGPUB; USPAT; IBM_TDB	AND .	ON	2007/03/14 15:21
S15	85	distance region\$1 color adj2 differen\$3 color adj2 cluster @ad<"20040212"	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/03/20 08:52

		Y		·		
S16	11	382/243.ccls. color tile\$3 region\$1 distance @ad<"20040212"	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/03/15 12:10
S17	1	"5778092".pn.	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/03/15 12:10
S18	2	"6115031".pn. "5577135".pn.	US-PGPUB; USPAT	OR .	ON .	2007/03/18 13:29
S19	. 1	"6236764".pn.	US-PGPUB; USPAT	AND	ON	2007/03/19 11:59
S20	6	spatial adj2 cluster\$3 color adj2 cluster\$3 @ad<"20040212"	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/03/19 16:32
S21	6	averag\$3 spatial adj2 cluster\$3 color adj2 cluster\$3 @ad<"20040212"	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/03/19 16:32
S22	5	k-means averag\$3 spatial adj2 cluster\$3 color adj2 cluster\$3 @ad<"20040212"	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/03/19 16:33
S23	5	k-means color averag\$3 spatial adj2 cluster\$3 color adj2 cluster\$3 @ad<"20040212"	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/03/19 16:37
S24	0	k-means color averag\$3 with spatial adj2 cluster\$3 color adj2 cluster\$3 @ad<"20040212"	US-PGPUB; USPAT; IBM_TDB	AND ·	ON	2007/03/19 16:38
S25	6	k-means color averag\$3 with color adj2 cluster\$3 @ad<"20040212"	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/03/20 09:08
527	6	k-means averag\$3 with color\$1 spatial adj2 cluster\$3 @ad<"20040212"	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/03/19 17:24
S28	6	k-means color with cluster\$3 averag\$3 with color\$1 spatial adj2 cluster\$3 @ad<"20040212"	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/03/19 17:38
S29	6	k-means distance color with cluster\$3 averag\$3 with color\$1 spatial adj2 cluster\$3 @ad<"20040212"	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/03/20 09:09
S32	6	k-means color averag\$3 with color adj2 cluster\$3 pixel\$1 @ad<"20040212"	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/03/20 09:08
S33	6	k-means distance color with cluster\$3 averag\$3 with color\$1 spatial adj2 cluster\$3 pixel\$1 @ad<"20040212"	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/03/20 10:00
S34	0	tile\$1 region\$1 distance color with cluster\$3 averag\$3 with color\$1 spatial adj2 cluster\$3 pixel\$1 @ad<"20040212"	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/03/20 10:02

		Y				
S36	1	tile\$1 color with cluster\$3 (average or mean) spatial adj2 cluster\$3 @ad<"20040212"	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/03/20 10:08
S37	175	tile\$1 color with cluster\$3 spatial with cluster\$3 @ad<"20040212"	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/03/20 10:13
S38	0	tile\$1 color with cluster\$3 spatial with cluster\$3 mrc @ad<"20040212"	US-PGPUB; USPAT; IBM_TDB	AND .	ON	2007/03/20 10:14
S39	0	color with cluster\$3 spatial with cluster\$3 mrc @ad<"20040212"	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/03/20 10:14
S40	0	color with cluster\$3 spatial with cluster\$3 mixed adj raster @ad<"20040212"	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/03/20 10:14
S41	4	color with cluster\$3 mixed adj raster @ad<"20040212"	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/03/20 10:23
S42	. 2	color with cluster\$3 mixed adj raster spatial\$3 @ad<"20040212"	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/03/20 10:15
S43	13	color with cluster\$3 region binary with plane\$1 @ad<"20040212"	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/03/20 10:29
S44	153	color with cluster\$3 region\$1 tile\$1 grouping @ad<"20040212"	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/03/20 10:32
S45	266	color with cluster\$3 region\$1 tile\$1 @ad<"20040212"	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/03/20 10:35
S46	43	color adj3 cluster\$3 region\$1 tile\$1 @ad<"20040212"	US-PGPUB; USPAT; IBM_TDB	AND	ON ,	2007/03/20 10:58
S47	0	color adj3 cluster\$3 mixed with raster with content @ad<"20040212"	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/03/20 10:36
S48	106	mixed with raster with content @ad<"20040212"	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/03/20 10:36
S49	18	tile\$1 color mixed with raster with content @ad<"20040212"	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/03/20 10:39
S50	0	tile\$1 color cluster mixed with raster with content @ad<"20040212"	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/03/20 10:40

S51	6	tile\$1 color cluster\$3 mixed with raster with content @ad<"20040212"	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/03/20 10:40
S52	3	color adj3 cluster\$3 region\$1 tile\$1 blob @ad<"20040212"	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/03/20 11:00
S53	43	color adj3 cluster\$3 region\$1 tile\$1 @ad<"20040212"	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/03/20 12:40
S54	20	color adj3 cluster\$3 region\$1 tile\$1 with imag\$3 @ad<"20040212"	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/03/20 12:59
S55 _.	20	cluster color adj3 cluster\$3 region\$1 tile\$1 with imag\$3 @ad<"20040212"	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/03/20 18:11
S56	20	color adj3 cluster\$3 region\$1 tile\$1 with imag\$3 @ad<"20040212"	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/03/20 13:15
S57	27	color adj3 cluster\$3 bounding with box @ad<"20040212"	US-PGPUB; USPAT; IBM_TDB	AND	ON .	2007/03/20 13:15
S58	27	color adj3 cluster\$3 bounding adj2 box @ad<"20040212"	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/03/20 13:15
S59	27	color adj3 cluster\$3 bounding adj3 box @ad<"20040212"	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/03/20 13:16
S60	0	color adj3 cluster\$3 bounding adj3 box tile\$1 @ad<"20040212"	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/03/20 13:16
S62	12	color adj3 cluster\$3 bounding adj3 box plane\$1 @ad<"20040212"	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/03/20 13:46
S63	92	color adj3 cluster\$3 group\$3 with region\$1 @ad<"20040212"	US-PGPUB; USPAT; IBM_TDB	AND .	ON	2007/03/20 18:41
S64	2	color adj3 cluster\$3 group\$3 with region\$1 binary with plane\$1 @ad<"20040212"	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/03/20 18:15
S67	43	color adj3 cluster\$3 group\$3 with region\$1 plane\$1 @ad<"20040212"	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/03/20 18:26

S68	14	(US-20030198382-\$ or US-20030110181-\$ or US-20030035580-\$).did. or (US-5544256-\$ or US-6741655-\$ or US-6024018-\$ or US-7145676-\$ or US-6400844-\$ or US-5577135-\$ or US-7079675-\$ or US-6324305-\$ or US-6115031-\$ or US-6633670-\$ or US-6236764-\$).did.	US-PGPUB; USPAT	OR	ON	2007/03/20 18:32
S71	43	color adj3 cluster\$3 group\$3 with region\$1 plane\$1 @ad<"20040212"	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/03/20 18:41
S72	2	color adj3 cluster\$3 group\$3 with region\$1 binary with plane\$1 @ad<"20040212"	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/03/20 18:42
S73	1	color adj3 cluster\$3 binary adj2 plane\$1 @ad<"20040212"	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/03/20 18:43
S74	4	color adj3 cluster\$3 binary with plane\$1 @ad<"20040212"	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/03/20 18:46
S76	100	color adj3 cluster\$3 ((binary with plane\$1) or (binary with image) or (binary with layers)) @ad<"20040212"	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/03/21 10:44
S77	23	color adj3 cluster\$3 group\$3 with region\$1 ((binary with plane\$1) or (binary with image) or (binary with layers)) @ad<"20040212"	US-PGPUB; USPAT; IBM_TDB	AND	ON .	2007/03/20 18:53
S78	25	color adj3 cluster\$3 ((binary with plane\$1) or (binary with image) or (binary with layers)) binary with cluster\$3 @ad<"20040212"	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/03/21 10:44
S81	14	color adj3 cluster\$3 cluster with ((binary with plane\$1) or (binary with image) or (binary with layers)) @ad<"20040212"	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/03/29 11:35
S82	18	color adj3 cluster\$3 cluster\$3 with ((binary with plane\$1) or (binary with image) or (binary with layers)) @ad<"20040212"	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/03/21 11:18
S84	4	10/776602	US-PGPUB; USPAT	OR	ON	2007/03/26 09:40
S85	35	sort\$3 with spatial with (cluster\$1 or region\$1) @ad<"20040212"	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/03/29 12:43
S86	14	"884930"	US-PGPUB; USPAT	AND	ON	2007/03/29 12:42

S87	1	"5887073".pn.	US-PGPUB; USPAT	AND	ON	2007/03/29 12:42
S88	2	sort\$3 with spatial with (cluster\$1 or region\$1) with size @ad<"20040212"	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/03/29 12:46
S89	4	10/776602	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/03/29 13:27
S90	1	"6741655".pn. pixel\$1 with number pixel\$1	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/03/29 13:31
S91	1	"6741655".pn. pixel\$1 with number	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/03/29 13:31